12/13/2005 TUE 14:36 FAX 949 282 1002 FARJAMI & FARJAMI LLP →→→ USPTO 2005/011

Attorney Docket No.: 01CON346P

Serial No.: 09/761,033

**List of Claims:** 

Claims 1-27 (cancelled)

Claim 28 (currently amended): A method of encoding a speech signal, said method

comprising:

processing said speech signal to generate a plurality of frames, wherein each of said

plurality frames includes a plurality of subframes;

coding a previous subframe of said plurality of subframes using Code-Excited Linear

Prediction to generate a previous excitation signal; and

applying short term enhancement using said previous excitation signal to enhance a

current excitation signal for a current subframe;

wherein said current excitation signal is constructed as a function of a gain, a distance to a

peak and a coefficient using an excitation pattern that accounts for a long term correlation in

which a true pitch lag is shorter than a subframe size, while detected pitch lag is substantially

greater than the true-pitch lag.

Claim 29 (previously presented): The method of claim 28, wherein said short term

enhancement is achieved by using several pulses from said previous excitation signal to generate

one or more short term enhancement pulses based on short term correlation.

Claim 30 (cancelled)

2

Serial No.: 09/761,033

Claim 31 (previously presented): The method of claim 28, wherein said short term

enhancement is achieved by weighting said previous excitation signal by a current weighting

filter to estimate correlation peaks at a distance.

Claim 32 (previously presented): The method of claim 31, wherein said short term

enhancement determines less than five peaks and gains per each sub-frame from said previous

excitation signal.

Claim 33 (currently amended): The method of claim 31 28, wherein said current

excitation signal is constructed using  $P(n) = C\sum_{i} Gi \cdot \delta(n-Ti) + \delta(n)$ , where Gi is a gain, Ti is a

distance for an ith peak, and C is a coefficient, wherein Ti is smaller than pitch period.

Claim 34 (previously presented): The method of claim 33, wherein gains and distances

are calculated by maximizing correlations of previous excitation signals in a weighted speech

domain.

Claim 35 (previously presented): The method of claim 33, wherein short term enhanced

excitation is generated by performing a convolution operation of P(n) with said excitation signal.

Claims 36-37 (cancelled)

3

Serial No.: 09/761,033

Claim 38 (currently amended): An encoder for encoding a speech signal, said encoder

comprising:

a speech processing circuitry configured to process said speech signal to generate a

plurality of frames, wherein each of said plurality frames includes a plurality of subframes;

a coding circuitry configured to code a previous subframe of said plurality of subframes

using Code-Excited Linear Prediction to generate a previous excitation signal; and

a short term enhancement circuitry configured to apply short term enhancement using

said previous excitation signal to enhance a current excitation signal for a current subframe;

wherein said current excitation signal is constructed as a function of a gain, a distance to a

peak and a coefficient using an excitation pattern that accounts for a long-term correlation in

which a true pitch lag is shorter than a subframe size, while detected pitch lag is substantially

greater than the true pitch lag.

Claim 39 (previously presented): The encoder of claim 38, wherein said short term

enhancement is achieved by using several pulses from said previous excitation signal to generate

one or more short term enhancement pulses based on short term correlation.

Claim 40 (cancelled)

Claim 41 (previously presented): The encoder of claim 38, wherein said short term

enhancement is achieved by weighting said previous excitation signal by a current weighting

filter to estimate correlation peaks at a distance.

4

Serial No.: 09/761,033

Claim 42 (previously presented): The encoder of claim 41, wherein said short term

enhancement determines less than five peaks and gains per each sub-frame from said previous

excitation signal.

Claim 43 (currently amended): The encoder of claim 41 38, wherein said current

excitation signal is constructed using  $P(n) = C\sum_{i} Gi \cdot \delta(n-Ti) + \delta(n)$ , where Gi is a gain, Ti is a

distance for an ith peak, and C is a coefficient, wherein Ti is smaller than pitch period.

Claim 44 (previously presented): The encoder of claim 43, wherein gains and distances

are calculated by maximizing correlations of previous excitation signals in a weighted speech

domain.

Claim 45 (previously presented): The encoder of claim 43, wherein short term enhanced

excitation signal is generated by performing a convolution operation of P(n) with said excitation

signal.

Claims 46-47 (cancelled)

Claim 48 (new): The method of claim 28, wherein said current excitation signal is

constructed using an excitation pattern that accounts for a long term correlation in which a true

pitch lag is shorter than a subframe size, while detected pitch lag is substantially greater than the

true pitch lag.

5

Serial No.: 09/761,033

Claim 49 (new): The encoder of claim 38, wherein said current excitation signal is constructed using an excitation pattern that accounts for a long term correlation in which a true pitch lag is shorter than a subframe size, while detected pitch lag is substantially greater than the true pitch lag.